Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked		equal opportunity employer/pro lividuals with disabilities.	ogram. Auxiliary aids, servic	es and other reas	sonable accommodations are available upon	
This document shall be considered the build subject to that jurisdiction's determination of			n code commission and shall	be accepted by a	ny jurisdiction within the state of Michigan	
MANUFACTURER DATA						
MANUFACTURER:		,,,	(COMPLIANC	E ASSURANCE PROGRAM NO.:	
					395	
Commodore Corporation, The				BUILDING SY	STEM APPROVAL REPORT NO.:	
1902 Century Drive						
P. O. Box 577 Goshen, IN 46528			<u> </u>	TAN OF AND	109323	
dosilen, in 40328			1	YPE OF APP	ROVAL:	
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTUL						
RG740-A8 26'-8" x 60'0" Ranch w	ith Basemer	ıt				
USE GROUP:	CONSTRU	ICTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	D SNOW LOAD:	
30.8 PSF		40 PSF		40 PSF		
WIND SPEED:	ROOF DE	AD LOAD;	FLOOR DEAD LOAD		HEATING DEGREE DAYS:	
90 MPH	10 F	PSF	10 PSF		8499	
APPLICABLE STATE CODE	re					
ATTEICABLE STATE CODE			1			
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 l	MRC/M	Plumbing - 2009 MRC/P	
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options mu	ist be shown as a part of	the approve	d set of plans and shall be	
identified for each unit manufacture	ed:	- "				
HVAC equipment and main duct w	ork trunks a	re subject to the approva	I of the local enforcing	agency, and a	are not part of this approval.	
CORPORATION AND AND AND AND AND AND AND AND AND AN						
CERTIFICATION						
REVIEWED BY:	. 1	ſ		ISSUED	DATE:	

Todd Y. Cordill, NCARB, Chief, Plan Review Division

Sheila Hartfield, Plan Reviewer

April 20, 2015

April 22, 2015

PUBLISHED DATE:

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked		equal opportunity employer/pr dividuals with disabilities.	ogram. Auxiliary aids, ser	rices and other rea	sonable accommodations are available upon
This document shall be considered the build	ling system app	proval report by the construction	n code commission and sha	ll be accepted by a	any jurisdiction within the state of Michigan
subject to that jurisdiction's determination of	f compliance w	ith the state construction code.			
MANUFACTURER DATA					
MANUFACTURER:		***		COMPLIANC	E ASSURANCE PROGRAM NO.:
Fibrebond Corporation					251
1300 Davenport Drive				BUILDING S	YSTEM APPROVAL REPORT NO.;
PO Box 5001					109346
Minden, LA 71055				TYPE OF API	
		-			New System
DESIGN DATA					
DESCRIPTION OF MANUFACTURE				***************************************	
D-9035 11'6" x 25'5.5 x 9'0" Equip	ment Shelte	r			
USE GROUP:	CONSTRU	ICTION TYPE:	OCCUPANT LOAD		TYPE OF UNIT:
S2	VB		0 Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
105 PSF		150 PSF		81	PSF
WIND SPEED:	ROOF DE		FLOOR DEAD LOA		HEATING DEGREE DAYS:
190 MPH	45 P	PSF	35 PSF		NA
(PDI IC (PI II COLOR COL					
APPLICABLE STATE CODE	3		t .		
Puilding 2012 MDC	Flootwicel	- 2011 NEC	Mh!1 2010	3.4040	Di
Building – 2012 MBC	Liectricai	- ZULI NEC	Mechanical – 2012	MIMIC	Plumbing –
LIMITATIONS OF APPROVAL	(TF ANY)	'The specific options mu	l est he shown as a nart	of the approved	t set of plans and shall be
identified for each unit manufacture		x no opcomo options ma	ist oo shown as a part	or the approve	a sot of plans and shall ov
CERTIFICATION					
Q.		,			
REVIEWED BY:	A /			ISSUED	DATE:
LOUIN LOS	YLU	20		April 20	2015

PUBLISHED DATE:

April 22, 2015

Sheila Hartfield, Plan Reviewer

Todd Y. Cordill, NCARB, Chief, Plan Review Division

AGENCY OFFICIAL:

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked		equal opportunity employer/pro lividuals with disabilities.	ogram. Auxiliary aids, service	es and other rea	sonable accommodations are available upon
This document shall be considered the build subject to that jurisdiction's determination of	ing system app compliance wi	proval report by the construction that the state construction code.	n code commission and shall l	be accepted by a	nny jurisdiction within the state of Michigan
MANUFACTURER DATA MANUFACTURER:			10	COMPLIANC	E ASSURANCE PROGRAM NO.:
					136
AAH of Indiana, LLC 1418 S 13th Street			B	UILDING S	YSTEM APPROVAL REPORT NO.;
Decatur, IN 46733					109248
,			Т	YPE OF API	
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTUR Greenwood 2956 Std with Crawl S			asement with Crawlspac	e with Reve	rse Crawispace
USE GROUP:	CONSTRU	ICTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND SNOW LOAD:	
20.8 PSF		40 PSF			PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD:		HEATING DEGREE DAYS:
90 MPH	20 P	PSF	10 PSF		6791
APPLICABLE STATE CODE	S				
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 N	MRC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: HVAC equipment and main duct work trunks are subject to the approval of the local enforcing agency, and are not part of this approval.					
CERTIFICATION		• • •			

Sheila Hartfield, Plan Reviewer

ISSUED DATE:

April 7, 2015

AGENCY OFFICIAL:

PUBLISHED DATE:

April 9, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked		equal opportunity employer/pr dividuals with disabilities.	ogram. Auxiliary aids, servic	es and other rea	sonable accommodations are available upon
This document shall be considered the buil subject to that jurisdiction's determination of			on code commission and shall	be accepted by a	any jurisdiction within the state of Michigan
MANUFACTURER DATA	•				
MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:
Ritz-Craft Corporation of MI, Inc.					
118 Deal Parkway			1	BUILDING S	YSTEM APPROVAL REPORT NO.:
Jonesville, MI 49250					109322
			1	TYPE OF API	PROVAL:
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTU					
VSR 8810 33'0" x 27'4" Ranch wi	th Basement				
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
38.5/ 57.8 PSF		40 PSF		50/ 75 PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	•	HEATING DEGREE DAYS:
90 MPH	10 F	PSF	10 PSF		7479
APPLICABLE STATE CODE	S		1		
Building - 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009	MRC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL		'The specific options mu	ist be shown as a part of	the approve	d set of plans and shall be
identified for each unit manufactur HVAC equipment and main duct w		re subject to the approve	al of the local enforcing	agency and	are not part of this approval
111110 oquipmont and man adot i	OIR (I GIIII) u	ae subject to the approve	ii oi tiio iooni oiiioioiiig	ugonoj, una t	no not part of ano approvan
CERTIFICATION					
REVIEWED BY:				ISSUED	DATE:
Marion dla	e at	. 1		A	2015
Sheila Hartfield, Plan Reviewer				April 15	, 2013

cc: NTA Inc

PUBLISHED DATE:

April 20, 2015

AGENCY OFFICIAL:

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.							
Penalty: Approval shall be revoked	l'oquest to m	dividuals with disabilities.					
This document shall be considered the buil	ding system ap	proval report by the construction	on code commission and shall	be accepted by	any jurisdiction within the state of Michigan		
subject to that jurisdiction's determination of	of compliance w	ith the state construction code,					
MANUFACTURER DATA							
MANUFACTURER:			(COMPLIANC	CE ASSURANCE PROGRAM NO.;		
Ritz-Craft Corneration of MI	Inc				416		
Ritz-Craft Corporation of MI, Inc. 118 Deal Parkway BUILDING SYSTEM APPROVAL REPORT NO							
Jonesville, MI 49250					109321		
				TYPE OF API	PROVAL:		
					New System		
DECICN DATA							
DESIGN DATA DESCRIPTION OF MANUFACTU	DED MODE	I .					
VSC 8811 52'0" x 27'4" Cape Cod							
750 0011 52 0 X 27 1 Cupe Cou	With Buson	iont					
USE GROUP:	CONSTRU	JCTION TYPE;	OCCUPANT LOAD:		TYPE OF UNIT:		
R3	VB		NA Persons		Modular		
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND SNOW LOAD:			
29.6/ 44.4 PSF		40 PSF		50)/ 75 PSF		
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	;	HEATING DEGREE DAYS:		
90 MPH	10 1	PSF	10 PSF		7126		
APPLICABLE STATE CODE	ימ				•		
AFFLICABLE STATE CODE	<u>ം</u>		1		1		
Building – 2009 MRC/B	Electrical	- 2009 MRC/E	Mechanical – 2009	MRC/M	Plumbing – 2009 MRC/P		
					Ü		
LIMITATIONS OF APPROVAL		'The specific options mu	ist be shown as a part of	the approve	d set of plans and shall be		
identified for each unit manufactur							
HVAC equipment and main duct w	ork trunks a	re subject to the approva	d of the local enforcing	agency, and a	are not part of this approval.		
CERTIFICATION					•		
DEVIEWED DV	1			TOCTION	D + 1770		
REVIEWED BY:		<u> </u>		ISSUED	DATE:		
+ Lower C	tary	Lied		April 15	2015		
- Trans.							
Sheila Hartfield, Plan Reviewer	•			April 15	, 2013		

cc: NTA Inc

PUBLISHED DATE:

April 20, 2015

AGENCY OFFICIAL:

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to inc	dividuals with disabilities.			sonable accommodations are available upon	
This document shall be considered the bulle subject to that jurisdiction's determination o	img system app f compliance w	proval report by the construction ith the state construction code.	n code commission and shall	be accepted by a	any jurisdiction within the state of Michigan	
MANUFACTURER DATA						
MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:	
Mobile Facility Engineering Inc						
306 W State Street				BUILDING ST	YSTEM APPROVAL REPORT NO.:	
PO Box 387					109172	
Cassopolis, MI 49031				TYPE OF API	PROVAL:	
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTUI		L:				
MF836-053-15 (8'-0" x 36'-0" Pres	s Box)					
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
A5	VB		19 Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND SNOW LOAD:		
50 PSF		100 PSF		35 PSF		
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAI) <u>:</u>	HEATING DEGREE DAYS:	
90 MPH	10 P	SF	10 PSF		6320	
APPLICABLE STATE CODE	S					
Building – 2012 MBC	Electrical	– 2011 NEC	Mechanical —		Plumbing —	
LIMITATIONS OF APPROVAL		'The specific options mu	ist be shown as a part o	f the approve	d set of plans and shall be	
identified for each unit manufacture	ed':					
CERTIFICATION						
CERTIFICATION						
REVIEWED BY:				ISSUED	DATE:	

AGENCY OFFICIAL:

Sheila Hartfield, Plan Reviewer

 ${\bf PUBLISHED\ DATE;}$

April 20, 2015

April 15, 2015

Todd Y. Cordill, NCARB, Chief Plan Review Division

cc: NTA Inc

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked		equal opportunity employer/pro lividuals with disabilities.	ogram. Auxiliary aids, servi	es and other reas	sonable accommodations are available upon
This document shall be considered the build subject to that jurisdiction's determination of	ling system app compliance w	proval report by the construction ith the state construction code.	n code commission and shall	be accepted by a	ny jurisdiction within the state of Michigan
MANUFACTURER DATA MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:
					136
AAH of Indiana, LLC 1418 S 13th Street				BUILDING SY	STEM APPROVAL REPORT NO.:
Decatur, IN 46733					109341
_ · · · · · · · · · · · · · · · · · · ·			 -	TYPE OF APP	
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTURE M 3674 B #02376 with Basement	RED MODE	L:			
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND SNOW LOAD:	
20.8 PSF		40 PSF			PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	':	HEATING DEGREE DAYS:
90 MPH	1 7 P	'SF	10 PSF		6466
APPLICABLE STATE CODE	\boldsymbol{s}				
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009	MRC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL identified for each unit manufacture HVAC equipment and main duct w	ed:		_		_
CERTIFICATION					

REVIEWED BY:

AGENCY OFFICIAL:

ISSUED DATE:

April 20, 2015

Sheila Hartfield, Plan Reviewer

PUBLISHED DATE:

Todd Y. Cordill, NCARB, Chief, Plan Review Division

April 22, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.					
This document shall be considered the built	ding system ap	proval report by the construction	on code commission and shall	be accepted by	any jurisdiction within the state of Michigan	
subject to that jurisdiction's determination of	of compliance w	ith the state construction code.		. ,		
MANUFACTURER DATA						
MANUFACTURER:				COMPLIANO	CE ASSURANCE PROGRAM NO.:	
Wisconsin Homes Inc					122	
425 W McMillan Street]	BUILDING S	YSTEM APPROVAL REPORT NO.:	
PO Box 250					109234	
Marshfield, WI 54449				TYPE OF AP	PROVAL:	
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTU		L:				
2844 Limited (15442) with Crawls	space					
USE GROUP:	CONSTRU	UCTION TYPE;	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:	
54 PSF		40 PSF		70) PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	_1	HEATING DEGREE DAYS:	
90 MPH	141	PSF	10 PSF		9567	
			10101		7507	
APPLICABLE STATE CODE	ES					
Building 2000 MD C/D	1731 4 . 1	0000 1 40 0 40	15	1000		
Building – 2009 MRC/B	Liectrical	– 2009 MRC/E	Mechanical - 2009	MRC/M	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL	. (IF ANV)	'The specific options m	let he chown as a part o	f the annrove	d set of plans and shall be	
identified for each unit manufacture	ed:	the specific options int	ist of shown as a part o	i ino approve	d set of plans and shan be	
HVAC equipment and main duct w		re subject to the approva	d of the local enforcing	agency, and	are not part of this approval.	
• •		3 11		,		
CERTIFICATION						
REVIEWED BY:	a			ISSUED	DATE:	
Thoulast. He	J-V-K	LUD		April 7,	2015	
A-7	i	·		,	2010	

AGENCY OFFICIAL:

Sheila Hartfield, Plan Reviewer

PUBLISHED DATE:

April 9, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an ercquest to ind	equal opportunity employer/pro ividuals with disabilities.	ogram. Auxiliary aids, servie	ces and other reas	sonable accommodations are available upon
This document shall be considered the build subject to that jurisdiction's determination of	ing system app compliance wi	roval report by the construction the state construction code.	n code commission and shall	be accepted by a	ny jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:
Frey-Moss Structures Inc					362
1801 Rockdale Industrial Boulevard BUILDING SYSTEM APPROVAL R					YSTEM APPROVAL REPORT NO.:
PO Box 459			_		109000
Conyers, GA 30012				TYPE OF API	
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTUR		J:			
G5MU512 1400 sq.ft. Murphy Oil	C-Store				
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
М	IIB		28 Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
20 PSF		100 PSF		50) PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD);	HEATING DEGREE DAYS:
115 MPH	12 P	SF	30 PSF		7101
APPLICABLE STATE CODE	ES .				
Building – 2012 MBC	Electrical	– 2011 NEC	Mechanical – 2012	MMC	Plumbing – 2012 MPC
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options mu	ust be shown as a part of	f the approve	d set of plans and shall be
identified for each unit manufactur					
CERTIFICATION					
REVIEWED BY:	÷	A.		ISSUED	DATE:
Alina dia	the	ال		A	2015
Sheila Hartfield, Plan Reviewer		and the second of the second o		April 7,	2013
onena martheid, rian keviewei					
AGENCY OFFICIAL:				PUBLISH	HED DATE:

April 9, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an request to inc	equal opportunity employer/pr dividuals with disabilities.	ogram. Auxiliary aids, servi	ces and other rea	asonable accommodations are available upon
	ding system app of compliance w	proval report by the construction ith the state construction code.	on code commission and shall	be accepted by	any jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:				COMPLIANC	CE ASSURANCE PROGRAM NO.:
General Housing- West Plant					276
4650 E Wilder				BUILDING S	YSTEM APPROVAL REPORT NO.:
Bay City, MI 48706					108697
				TYPE OF AP	
					Modification
DESIGN DATA					
DESCRIPTION OF MANUFACTU					
28'x56' Alpine with Basement, Re (59440) Modified	verse Basem	ent, Crawispace, Reverse	e Crawlspace, Various	option	
(65.10)2.2002.200					
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Dansana		
ROOF LIVE/SNOW LOAD:	1 413	FLOOR LIVE LOAD:	NA Persons	GROUND	Modular SNOW LOAD:
23.1/ 30.8/ 53.9 PSF					
WIND SPEED:	ROOF DE	40 PSF AD LOAD:	FLOOR DEAD LOAD		0/ 40/ 70 PSF HEATING DEGREE DAYS:
90 MPH	10 P			•	
70 WH 11	101	or	10 PSF		9300
APPLICABLE STATE CODE	ES .				
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009	MRC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options mu	ist be shown as a part o	f the approve	d set of plans and shall be
identified for each unit manufacture	ed:				-
CERTIFICATION					
REVIEWED BY:		. ,		ISSUED	DATE:
Marcha Ha	att.	60 A			
Sheila Hartfield, Plan Reviewer				April 2,	2015
ŕ					
AGENCY OFFICIAL.	///			PUBLISH	ED DATE:
Took fall a Del	l)			April 6,	2015
Todd Y. Cordill, NCARB, Chie	f, Plan Rev	iew Division		лрин 0,	201 <i>J</i>

ce: State of Michigan

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

				1 (1)	ti
Authority: 1972 PA 230 Completion: Mandatory		equal opportunity employer/pr ividuals with disabilities.	ogram. Auxiliary aids, service	es and other reas	sonable accommodations are available upon
Penalty: Approval shall be revoked	•				CAC S
This document shall be considered the build subject to that jurisdiction's determination of			on code commission and shall t	e accepted by a	ny jurisdiction within the state of Michigan
subject to this jurisdrenon a determination of	. compilates wi				
MANUFACTURER DATA					
MANUFACTURER:			C	OMPLIANC	E ASSURANCE PROGRAM NO.:
General Housing- West Plant					276
4650 E Wilder			В	UILDING SY	STEM APPROVAL REPORT NO.:
Bay City, MI 48706					108698
Buy Giey, ivii 10700			- T	YPE OF APP	
					Modification
DECKIN DATA					
DESIGN DATA DESCRIPTION OF MANUFACTURE	RED MODEI				
28'x60' Alpine with Basement, Rev			e Crawlspace, Various o	ption	
(59438) Modified		, 1	• •	•	
•					
USE GROUP:	CONSTRE	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB	TI COD THURLOUS	NA Persons	CDOUND	Modular SNOW LOAD:
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
23.1/ 30.8/ 53.9 PSF		40 PSF		30	/ 40/ 7 0 PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD		HEATING DEGREE DAYS:
90 MPH	10 P	SF	10 PSF		9300
70 WH 11	101	5.	101.01		
APPLICABLE STATE CODE	ES				
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 I	MRC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL	CTTS A NOW	(T)!C!	uet he charry on a newt of	the anneava	d sat of plans and shall be
identified for each unit manufactur		The specific options in	ust be shown as a part of	the approve	d set of plans and shan oc
dentified for each time manufactur	cu.				
				-	
CERTIFICATION					
CDATALL CALLED .					
REVIEWED BY:		Λ		ISSUED	DATE:
alt alian	E A () -	· 0 H		April 2,	2015
Sheila Hartfield, Plan Reviewer			-	April 2,	2013
Sheha Hattheid, Flan Keviewei	أبأ				
AGENCY OFFICIAL	W			PUBLISE	IED DATE:
All Illa VIII					2015
HORAN TOUNIL	<i>[1]</i>		_	April 6,	2015

cc: State of Michigan

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to ind	ividuals with disabilities.			sonable accommodations are available upon
This document shall be considered the build subject to that jurisdiction's determination of	ing system app compliance wit	roval report by the construction hat the state construction code.	n code commission and shall	be accepted by a	ny jurisdiction within the state of Michigan
MANUFACTURER DATA MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:
					164
Mobile Facility Engineering Inc	2		<u> </u>	BUILDING SY	STEM APPROVAL REPORT NO.:
306 W State Street PO Box 387					109032
Cassopolis, MI 49031			-	TYPE OF API	
,					Modification
DESIGN DATA					
DESCRIPTION OF MANUFACTUR MF2464-373-08 24'-0" x 64'-0" M (88543) Modified					
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
В	VB		14 Persons		Modular
ROOF LIVE/SNOW LOAD:	,,,	FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
46,2 PSF		50 PSF		60	PSF
WIND SPEED:	ROOF DE		FLOOR DEAD LOAI);	HEATING DEGREE DAYS:
90 MPH	10 P	SF	10 PSF		8609
APPLICABLE STATE CODE					
Building – 2012 MBC		– 2011 NEC	Mechanical – 2012	MMC	Plumbing – 2012 MPC
LIMITATIONS OF APPROVAL identified for each unit manufactur		'The specific options mu	ust be shown as a part of	of the approve	d set of plans and shall be
CERTIFICATION					
DEWITTED DV.		ř.		ISSUED	DATE:
REXIEWED BY:	54	00		April 1,	
Sheila Hartfield, Plan Reviewer	\mathcal{A}				
ACENCY OFFICIAL:	VI			PUBLISH	HED DATE:

April 6, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230		r/program. Auxiliary aids, servic	es and other rea	sonable accommodations are available upon
Completion: Mandatory Penalty: Approval shall be revoked	request to individuals with disabilities.			
This document shall be considered the buil	lding system approval report by the constru	ection code commission and shall	be accepted by	any jurisdiction within the state of Michigan
subject to that jurisdiction's determination of	of compliance with the state construction coc	de.		
MANUFACTURER DATA				
MANUFACTURER:		10	OMPLIANO	CE ASSURANCE PROGRAM NO.:
MANUFACTORER;		1	JOHI LIANC	LE ASSURANCE I NOGRAM NO.:
Mobile Facility Engineering Ir	10			164
306 W State Street		E	BUILDING S	YSTEM APPROVAL REPORT NO.:
PO Box 387				109031
Cassopolis, MI 49031		<u> </u>	YPE OF AP	
		^		
				Modification
DECLEM DATA				
DESIGN DATA	DED MODEL			
DESCRIPTION OF MANUFACTU ME2464-372-08 24'-0" v 64'-0" M	KED MODEL: Iodular Office with Various Option	no		
(88542) Modified	todular Office with Various Option	119		
(oot 12) Mountou				
USE GROUP:	CONSTRUCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
В	VB	14 Persons		Modular
ROOF LIVE/SNOW LOAD:	FLOOR LIVE LOAI		GROUND	SNOW LOAD:
			1	
46.2 PSF	50 PSF) PSF
WIND SPEED:	ROOF DEAD LOAD:	FLOOR DEAD LOAD:	:	HEATING DEGREE DAYS:
90 MPH	10 PSF	10 PSF		8609
APPLICABLE STATE CODE	ZS			
Building – 2012 MBC	Electrical – 2011 NEC	Mechanical – 2012 I	имс	Plumbing – 2012 MPC
TIMETATIONS OF ADDROVAL	F (TELANING) (TELANING)		· · ·	
LIMITATIONS OF APPROVAL identified for each unit manufacture	L (IF ANY) The specific options	must be shown as a part of	the approve	d set of plans and shall be
identified for each unit manufactur	cu.			
CERTIFICATION				
REVIEWED BY:			ISSUED	DATE:
50 MO, OO 1 8-4	(50 t. 00 d		April 1,	2015
Sheila Hartfield, Plan Reviewer	r	<u> </u>	Apm 1,	2013
Silving American, I full froviowed	· V			
AGENCY OFFIGIALS	N)		PUBLISE	IED DATE:
66/16 c 11/1				
JOHN DININ			April 6,	2015
Todd Y. Cordill, NCARB, Chie	ef, Plan Review Division			

cc: NTA Inc

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

		(517) 24	1-9328		
Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to in	dividuals with disabilities.			sonable accommodations are available upon
This document shall be considered the buil- subject to that jurisdiction's determination of	ding system app f compliance w	proval report by the construction ith the state construction code.	on code commission and shall	be accepted by	any jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:			C	COMPLIANC	CE ASSURANCE PROGRAM NO.:
Champion Home Builders Inc					167
308 Sheridan Drive			Į B	BUILDING S	YSTEM APPROVAL REPORT NO.:
PO Box 95 Topeka, IN 46571			ļ	TABLE (NE A D	108511
			1	YPE OF AP	
					New System
DESIGN DATA					
MOD 2864 217 / MOD 2864 21 Options			ent, Reverse Basement,	Crawlspace	, Reverse Crawlspace and Various
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
38.5/ 57.8 PSF		40 PSF)/ 75 PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD:	:	HEATING DEGREE DAYS:
90 MPH	10 F	SF	10 PSF		9316
APPLICABLE STATE CODE	S				
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 N	MRC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL identified for each unit manufacture HVAC equipment and main duct w	ed':				-
CERTIFICATION					
REVIEWED BY:		, fr		ISSUED	DATE:
Drula H	axt	روعا		April 1,	
Sheila Hartfield, Plan Reviewer	· Keinen)		• '	
AGENCY OFFICIAL:				PUBLISH	ED DATE:

cc: PFS Corporation

April 3, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.					
This document shall be considered the build subject to that jurisdiction's determination o	ling system ap	proval report by the construction	n code commission and shall	be accepted by a	any jurisdiction within the state of Michigan	
		The the state constitution code,				
MANUFACTURER DATA MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:	
			`	JOHN DIANC		
AAH of Indiana, LLC			<u> </u>	STILL DING ST	136 YSTEM APPROVAL REPORT NO.;	
1418 S 13th Street Decatur, IN 46733			1	OILDING 51		
Decatal, 114 40755			-	TYPE OF API	109370	
			'	TIE OF MI		
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTUR B 42 2844 B #02127 with Basemer		L:				
B 42 2044 B #02127 Willi Basemen	11					
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:	, , ,	FLOOR LIVE LOAD:	101 1 0130165	GROUND	SNOW LOAD:	
16 PSF		40 PSF		30	PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD:		HEATING DEGREE DAYS:	
90 MPH	20 P	PSF	10 PSF		6799	
APPLICABLE STATE CODE	S					
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 N	√RC/M	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL identified for each unit manufacture HVAC equipment and main duct we	:d:				-	
CERTIFICATION						

AGENCY OFFICIAL:

Sheila Hartfield, Plan Reviewer

REVIEWED BY:

 ${\bf PUBLISHED\ DATE:}$

ISSUED DATE:

April 22, 2015

April 24, 2015

Todd Y. Cordill, NCARB, Chief, Plan Review Division

cc: NTA Inc

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.				
This document shall be considered the build subject to that jurisdiction's determination of	ling system app f compliance wi	proval report by the construction ith the state construction code.	n code commission and shall	be accepted by a	my jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:			(COMPLIANC	E ASSURANCE PROGRAM NO.:
AAH of Indiana, LLC					136
1418 S 13th Street			1	BUILDING ST	YSTEM APPROVAL REPORT NO.:
Decatur, IN 46733					109252
			7	TYPE OF API	PROVAL:
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTUR		L:			
B42 2846 #02122 with Crawlspace	•				
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:	•	GROUND	SNOW LOAD:
16 PSF		40 PSF		30	PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	;	HEATING DEGREE DAYS:
90 MPH	20 F	PSF	10 PSF		6677
APPLICABLE STATE CODE	S				
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009	MRC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL identified for each unit manufacture		'The specific options mu	ist be shown as a part of	f the approve	d set of plans and shall be
HVAC equipment and main duct w		re subject to the approva	l of the local enforcing	agency, and	are not part of this approval.
CERTIFICATION					
REVIEWED BY:		Δ.		ISSUED	DATE:
Misila 16	stl.	· 00		A	2015
Sheila Hartfield, Plan Reviewer		Mary Control of the C		April 21	, 2013
onona Hartifold, i fair ixeviewei					
AGENCY OFFICIAL:				PUBLISH	ED DATE:

cc: NTA Inc

April 23, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.					
			n code commission and shal	be accepted by a	any jurisdiction within the state of Michigan	
MANUFACTURER DATA	·					
MANUFACTURER:				COMPLIANC	CE ASSURANCE PROGRAM NO.:	
CMH Mfg West Inc - Crest #9	081				138	
437 N Main Street	V -			BUILDING S	YSTEM APPROVAL REPORT NO.:	
PO Box 1218					109247	
Middlebury, IN 46540				TYPE OF API	PROVAL:	
			•		New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTU						
MID-23199 64'-0" x 30'-0" Ranch	with Basem	ent				
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:	1 40	FLOOR LIVE LOAD:	IVA PEISOIIS	GROUND	SNOW LOAD:	
38.5 PSF		40 PSF		50) PSF	
WIND SPEED:	ROOF DE		FLOOR DEAD LOAI		HEATING DEGREE DAYS:	
90 MPH	10 F	·SF	10 PSF		6999	
APPLICABLE STATE CODE	<u>S</u>		1			
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical –		Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL		"The specific options mu	l ist be shown as a part o	of the approve	d set of plans and shall be	
identified for each unit manufactur	ed':					
				Y		
CERTIFICATION						
REVIEWED BY:				ISSUED	DATE:	
Drula H		لولي		April 21	, 2015	

cc: TR Arnold & Associates Inc

PUBLISHED DATE:

April 23, 2015

Sheila Hartfield, Plan Reviewer

Todd Y. Cordill, NCARB, Chief, Plan Review Division

AGENCY OFFICIAL:

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.					
This document shall be considered the build	ing system app	roval report by the construction	n code commission and shall b	ne accepted by a	ny jurisdiction within the state of Michigan	
subject to that jurisdiction's determination of	compliance wi	in the state construction code.				
MANUFACTURER DATA						
MANUFACTURER:			C	OMPLIANC	E ASSURANCE PROGRAM NO.:	
Frigurant Hamas Inc					451	
Fairmont Homes Inc 502 S Oakland - Plant 2			В	UILDING SY	STEM APPROVAL REPORT NO.:	
PO Box 27					109233	
Nappanee, IN 46550			Т	YPE OF APP		
					New System	
DESIGN DATA					•	
DESCRIPTION OF MANUFACTU	RED MODE	L;				
Model 92590 2009 MRC with Cra	wispace, Re	verse Crawlspace and V	arious Options			
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:	
38.5/ 53.9 PSF		40 PSF		50)/ 70 PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	:	HEATING DEGREE DAYS:	
90 MPI - I	20 F	PSF	10 PSF		9316	
70 114 11						
APPLICABLE STATE CODE	S		-1···		<u> </u>	
Building – 2009 MRC/B	Electrical	I – 2009 MRC/E	Mechanical – 2009	MRC/M	Plumbing - 2009 MRC/P	
LIMITATIONS OF APPROVAL	L (IF ANY)	'The specific options m	ust be shown as a part of	f the approve	d set of plans and shall be	
identified for each unit manufactur		F	1	• •		
CERTIFICATION						
REVIEWED BY:	1			TCCHED	DATE.	
		- <i>e</i> -		ISSUED	DATE:	
Milat	art	field	_	ISSUED April 21		

AGENCY OFFICIAL:

PUBLISHED DATE:

April 23, 2015

Todd Y. Cordill, NCARB, Chief, Plan Review Division

cc: RADCO

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an request to in	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.				
This document shall be considered the buil	ding system ap	proval report by the construction	on code commission and shall	be accepted by	any jurisdiction within the state of Michigan	
subject to that jurisdiction's determination of	f compliance w	ith the state construction code.				
MANUFACTURER DATA						
MANUFACTURER:			•	COMPLIANC	CE ASSURANCE PROGRAM NO.;	
Commodore Corporation, The					395	
1902 Century Drive			1	BUILDING S	YSTEM APPROVAL REPORT NO.:	
P. O. Box 577					109258	
Goshen, IN 46528				TYPE OF AP		
					New System	
DESIGN DATA			11			
DESCRIPTION OF MANUFACTURE	RED MODE	L:				
RG775-A1 26'-8" x 52'-0" Ranch	with Crawl:	space				
USE GROUP:	CONSTRU	UCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:	
30.8 PSF		40 PSF		40) PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD		HEATING DEGREE DAYS:	
90 MPH	10 F	PSF	10 PSF		8499	
APPLICABLE STATE CODE	S					
	Ĭ					
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 l	MRC/M	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options mu	ist be shown as a part of	the approve	l d set of plans and shall he	
identified for each unit manufacture		The openine options in	and no mo and a part of	по прртото	d bot of plants and shari bo	
CERTIFICATION						
REVIEWED BY:	1			ISSUED	DATE:	
	10. A			IOOOED	DATE.	
- Melela +	His I			April 21	, 2015	
Sheila Hartfield, Plan Reviewer	1	1 /		•	.	

AGENCY OFFICIAL:

PUBLISHED DATE:

April 23, 2015

Todd Y. Cordill, NCARB, Chief, Plan Review Division

cc: RADCO

Michigan Department of Licensing and Regulatory Affairs Bureau of Construction Codes Plan Review Division P.O. Box 30254 Lansing, MI 48909 (517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.				
This document shall be considered the build	ling system ap	proval report by the construction	on code commission and shall t	e accepted by a	any jurisdiction within the state of Michigan
subject to that jurisdiction's determination of	f compliance w	ith the state construction code.			
MANUFACTURER DATA					
MANUFACTURER:			(OMPLIANC	E ASSURANCE PROGRAM NO.:
Commodore Corporation, The					395
1902 Century Drive			В	UILDING SY	YSTEM APPROVAL REPORT NO.:
P. O. Box 577					109256
Goshen, IN 46528			Т	YPE OF APE	
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTURE	RED MODE	Y.:			
RX775-AB1 30'-0" x 52'-0" Ranch					
		•			
USE GROUP:	CONSTRU	UCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB	,	NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
30.8 PSF		40 PSF		40	PSF
WIND SPEED:	ROOF DE	AD LOAD;	FLOOR DEAD LOAD:		HEATING DEGREE DAYS:
90 MPH	10 F	PSF	10 PSF		8499
		100			
APPLICABLE STATE CODE	<u>s'</u>				
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 N	/IRC/M	Plumbing – 2009 MRC/P
					3
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options mu	ist be shown as a part of	the approved	i set of plans and shall be
identified for each unit manufacture	ed':				
			and the second s		
CERTIFICATION					
•					
REVIEWED BY:	!	, ,		ISSUED	DATE:

AGENCY OFFICIAL:

April 21, 2015

Sheila Hartfield, Plan Reviewer

PUBLISHED DATE:

April 23, 2015

Todd Y. Cordill, NCARB, Chief, Ilan Review Division

cc: RADCO

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.					
This document shall be considered the build subject to that jurisdiction's determination o	ding system app	proval report by the construction ith the state construction code.	n code commission and shall b	e accepted by a	ny jurisdiction within the state of Michigan	
						
MANUFACTURER DATA MANUFACTURER:			C	OMPLIANC	E ASSURANCE PROGRAM NO.:	
					395	
Commodore Corporation, The			В	UILDING SY	STEM APPROVAL REPORT NO.:	
1902 Century Drive P. O. Box 577					109257	
Goshen, IN 46528			Т	YPE OF API		
Í					New System	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				<u> </u>	
DESIGN DATA DESCRIPTION OF MANUFACTU	DED MODE	[.•				
RG776-A1 26'-8" x 60'-0" Ranch						
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:	
30.8 PSF		40 PSF			PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD:		HEATING DEGREE DAYS:	
90 MPH	10 H	PSF	10 PSF		8499	
APPLICABLE STATE CODE	ES .					
		I – 2009 MRC/E	Mechanical – 2009 M	ARC/M	Plumbing – 2009 MRC/P	
Building – 2009 MRC/B						
LIMITATIONS OF APPROVA		'The specific options m	ust be shown as a part of	the approve	d set of plans and shall be	
igentified for each unit manufactur	cu:					
CERTIFICATION	ŕ					

REWEWED BY:

Sheila Hartfield, Plan Reviewer

AGENCY OFFICIAL:

April 23, 2015

Todd Y. Cordill, NCARB, Chief, Plan Review Division

cc: RADCO

ISSUED DATE:

April 21, 2015

PUBLISHED DATE:

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Parents Approved shall be revoked		equal opportunity employer/pro ividuals with disabilities.	ogram. Auxiliary aids, service	es and other reasonable accommodations are available upon
Penalty: Approval shall be revoked This document shall be considered the build	ling system app	roval report by the construction	n code commission and shall b	ne accepted by any jurisdiction within the state of Michigan
subject to that jurisdiction's determination o	f compliance wi	th the state construction code.		
MANUFACTURER DATA				
MANUFACTURER:			C	COMPLIANCE ASSURANCE PROGRAM NO.:
				136
AAH of Indiana, LLC			B	UILDING SYSTEM APPROVAL REPORT NO.:
1418 S 13th Street			-	
Decatur, IN 46733			_	109249
			T	YPE OF APPROVAL:
				New System
DESIGN DATA				
DESCRIPTION OF MANUFACTU		L:		
H-2848 3 2 #02311 with Crawlspa	ce			
USE GROUP:	CONSTRU	ICTION TYPE:	OCCUPANT LOAD:	TYPE OF UNIT:
R3	VB		NA Persons	Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND SNOW LOAD:
20.8 PSF		40 PSF		30 PSF
WIND SPEED:	ROOF DE		FLOOR DEAD LOAD:	: HEATING DEGREE DAYS:
90 MPH	20 F	PSF	10 PSF	6515
APPLICABLE STATE CODE	S			
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 M	MRC/M Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVA	LIFANV	'The specific options mu	ist be shown as a part of	f the approved set of plans and shall be
identified for each unit manufactur		The specime options in	to be one one and a part of	· ····································
HVAC equipment and main duct v	vork trunks a	are subject to the approve	of the local enforcing	agency, and are not part of this approval.
• •				
CERTIFICATION				

CERTIFICATION.

REVIEWED BY:

Sheila Hartfield, Plan Reviewer

AGENCY OFFICIAL:

Todd Y. Cordill, NCARB, Chief, Plan Review Division

ISSUED DATE:

April 8, 2015

PUBLISHED DATE:

April 10, 2015

cc: NTA Inc

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.					
This document shall be considered the build subject to that jurisdiction's determination of	ling system app f compliance wi	proval report by the construction the state construction code.	n code commission and shall	be accepted by a	ny jurisdiction within the state of Michigan	
MANUFACTURER DATA					T LOCKED LATOR WOOD LATENO.	
MANUFACTURER:			1	COMPLIANC	E ASSURANCE PROGRAM NO.:	
AAH of Indiana, LLC					136	
1418 S 13th Street			l I	BUILDING SY	YSTEM APPROVAL REPORT NO.:	
Decatur, IN 46733			<u></u>		109253	
			Т	TYPE OF API	PROVAL:	
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTUM M 2840 B #02146 with Basement	RED MODE	L:				
W 2040 B #02140 WRII Basement						
USE GROUP:	CONSTRU	UCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB	•	NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:	
41.6 PSF		40 PSF		60	PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	:	HEATING DEGREE DAYS:	
90 MPH	20 F	PSF	10 PSF		6331	
APPLICABLE STATE CODE	S					
Building – 2009 MRC/B	Electrical	I – 2009 MRC/E	Mechanical - 2009	MRC/M	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured' HVAC equipment and main duct work trunks are subject to the approval of the local enforcing agency, and are not part of this approval.						
CERTIFICATION						

REVIEWED BY:

Sheila Hartfield, Plan Reviewer

AGENCY OFFICIAL:

Todd Y. Cordill, NCARB, Chief, Plan Review Division

ISSUED DATE:

April 8, 2015

PUBLISHED DATE:

April 10, 2015

cc: NTA Inc

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.					
This document shall be considered the buil	ding system ap	proval report by the construction	n code commission and shall	be accepted by	any jurisdiction within the state of Michigan	
subject to that jurisdiction's determination o	f compliance w	ith the state construction code.				
MANUFACTURER DATA						
MANUFACTURER:				COMPLIANC	CE ASSURANCE PROGRAM NO.:	
Champion Home Builders Inc					167	
308 Sheridan Drive			<u></u>	BUILDING S	YSTEM APPROVAL REPORT NO.:	
PO Box 95					109265	
Topeka, IN 46571			-	TYPE OF AP		
F ,				ILLEOPAL		
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTU	RED MODE	I.:				
2848-MI-03 26'-8" x 48'-0" Ranc						
USE GROUP:	CONSTRI	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
	COMBINE	CHON THE			THE OF CIVIT.	
R3	l VB		NA Persons	,	Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:	
38.5/ 57.8 PSF		40 PSF		50	/ 75 PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	:	HEATING DEGREE DAYS:	
90 MPH	10 F	PCE	10 PSF		9316	
70 WH 11	101	191	[10151		7310	
APPLICABLE STATE CODE	S					
Building – 2009 MRC/B	Electrical	- 2009 MRC/E	Mechanical - 2009	MRC/M	Plumbing – 2009 MRC/P	
T IMITATIONS OF ADDROVAL	CLE A NUV	The grant		C +1	f C 1 1 - f 11 f	
LIMITATIONS OF APPROVAL identified for each unit manufacture	a (H'ANY) ad'a	The specific options inc	ist de shown as a part o	ine approve	a set of plans and shall be	
HVAC equipment and main duct w		re subject to the approva	of the local enforcing	soency and	are not part of this approval	
		to anology to the approva	or the foods emotoring	agonoj, ana (no not purt of this approval.	
CERTIFICATION						
REVIEWED BY:		Atom		ISSUED	DATE:	

AGENCY OFFICIAL:

Sheila Hartfield, Plan Reviewer

 ${\bf PUBLISHED\ DATE:}$

April 10, 2015

April 8, 2015

Todd Y. Cordill, NCARB, Chief, Plan Review Division

cc: PFS Corporation

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory		equal opportunity employer/pro lividuals with disabilities.	ogram. Auxiliary aids, services	and other reas	sonable accommodations are available upon
Penalty: Approval shall be revoked This document shall be considered the build subject to that jurisdiction's determination o	l ling system app f compliance wi	oroval report by the construction that the state construction code.	n code commission and shall be	e accepted by a	ny jurisdiction within the state of Michigan
MANUFACTURER DATA MANUFACTURER:			C	OMPLIANC	E ASSURANCE PROGRAM NO.:
					416
Ritz-Craft Corporation of MI, I	nc.		Bi	UILDING SY	STEM APPROVAL REPORT NO.:
118 Deal Parkway Jonesville, MI 49250					109266
Johnson His 19230			T	YPE OF APP	
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTUR VSR 8809 33'-0" x 27'-4" Ranch w					
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	$_{ m VB}$		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
38.5/ 57.8 PSF		40 PSF		50	/ 75 PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD:		HEATING DEGREE DAYS:
90 MPH	101	PSF	10 PSF		6856
APPLICABLE STATE CODE	S				
Building – 2009 MRC/B	The state of the s				
LIMITATIONS OF APPROVAL identified for each unit manufactur HVAC equipment and main duct v	ed':				
CERTIFICATION					

Sheila Hartfield, Plan Reviewer AGENCY OFFICIAL:

REVIEWED BY:

PUBLISHED DATE:

ISSUED DATE:

April 8, 2015

Todd Y. Cordill, NCARB, Chief, Plan Review Division

April 10, 2015

cc: NTA Inc

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to inc	dividuals with disabilities.			sonable accommodations are available upon
This document shall be considered the build subject to that jurisdiction's determination of	ling system app f compliance w	proval report by the construction ith the state construction code.	on code commission and shall	be accepted by a	any jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:
Ritz-Craft Corporation of MI, I	nc.				416
118 Deal Parkway				BUILDING SY	YSTEM APPROVAL REPORT NO.:
Jonesville, MI 49250					109267
			<u> </u>	TYPE OF API	PROVAL:
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTUI					
VSR 8808 44'-0" x 27'-4" Ranch v	vitn Crawist	Dace			
USE GROUP:	CONSTRI	UCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
USE GROOF.	CONSIRC	CHOILTE.	OCCUPANT LOAD.		THE OF CALL.
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
38.5 PSF		40 PSF			PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD);	HEATING DEGREE DAYS:
90 MPH	10 F	PSF	10 PSF		7064
APPLICABLE STATE CODE	<u>s</u>				
Building – 2009 MRC/B	Building – 2009 MRC/B Electrical – 2009 MRC/E Mechanical – 2009 MRC/M Plumbing – 2009 MRC/P				
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options mu	ist be shown as a part o	f the approve	d set of plans and shall be
identified for each unit manufacture	ed':		_		
HVAC equipment and main duct w	ork trunks a	re subject to the approva	d of the local enforcing	agency, and a	are not part of this approval.
CERTIFICATION	· · · · · · · · · · · · · · · · · · ·			· · ·	

AGENCY OFFICIAL:

Sheila Hartfield, Plan Reviewer

April 10, 2015

April 8, 2015

PUBLISHED DATE:

Todd Y. Cordill, NCARB, Chief, Plan Review Division

cc: NTA Inc

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

This decement shall be considered the building system approval regort by the construction code commission and shall be accepted by any jurisdiction within the state construction code. MANUFACTURER DATA MANUFACTURER: Parkline Inc 328 Eleanor Industrial Park Drive Eleanor, WV 25070 BUILDING SYSTEM APPROVAL REPORT NO: 109304 TYPE OF APPROVAL: New System DESIGN DATA DESCRIPTION OF MANUFACTURED MODEL: Model NO. PNE-AC 9'-4" x 14"-38"x 9'-3" Bar Tcc Building USE GROUP: USE GROUP: CONSTRUCTION TYPE: DITERMINED STATE CODES WIND SPEED: ROOF DEAD LOAD: 150 PSF WIND SPEED: ROOF DEAD LOAD: 115 MPH 200 PSF Building - 2012 MBC Electrical Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: ISSUED DATE: April 10, 2015	Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to ind	ividuals with disabilities.			sonable accommodations are available upon
MANUFACTURER: Parkline Ine 328 Eleanor Industrial Park Drive Eleanor, WV 25070 DESIGN DATA DESIGN DATA DESIGN DATA DESCRIPTION OF MANUFACTURED MODEL: Model NO. PNE-AC 9-4" x 14"-8" x 9-3" Bar Tec Building USE GROUP: U	This document shall be considered the build subject to that jurisdiction's determination of	ing system app: compliance wit	roval report by the construction in the state construction code.	on code commission and shal	t be accepted by a	any jurisdiction within the state of Michigan
Parkline Inc 328 Eleanor Industrial Park Drive Eleanor, WV 25070 109304 TYPE OF APPROVAL New System New System New System					COMPLIANC	DE AGOIDANCE BOOCDAM NO.
BUILDING SYSTEM APPROVAL REPORT NO.: 109304 TYPE OF APPROVAL: New System DESIGN DATA DESCRIPTION OF MANUFACTURED MODEL: Model NO. PNE-AC 9'-4" x 14' -'8"x 9'-3" Bar Tee Building USE GROUP: USE GROUP: CONSTRUCTION TYPE: OCCUPANT LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF LIVE LOAD: 115 MPH 200 PSF 15.35 PSF 160R DEAD LOAD: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REVIEWED BY: ISSUED DATE: April 10, 2015	MANUFACTURER:				COMPLIANC	
109304 TYPE OF APPROVAL: New System	Parkline Inc			-	DUIT DING ST	
DESIGN DATA DESCRIPTION OF MANUFACTURED MODEL: Model NO. PNE-AC 9'-4" x 14'-8"x 9'-3" Bar Tee Building USE GROUP: USE GROUP: USE GROUP: USE GROUP: USE GROUP: TYPE OF UNIT: USE GROUP: 150 PSF 150 PSF 140 PSF WIND SPEED: 150 PSF 160 PSE PST	1 -	ve			DUILDING 5	
DESIGN DATA DESCRIPTION OF MANUFACTURED MODEL: Model NO. PNE-AC 9'-4" x 14'-'8"x 9'-3" Bar Tee Building USE GROUP: USE GROUP: CONSTRUCTION TYPE: OCCUPANT LOAD: TYPE OF UNIT: UIIIB 1 Persons Modular ROOF LIVE/NOW LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF DEAD LOAD: FLOOR DEAD LOAD: HEATING DEGREE DAYS: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REYIEWED BY: ISSUED DATE: April 10, 2015	Eleanor, w v 23070			-	TVPE OF API	
DESIGN DATA DESCRIPTION OF MANUFACTURED MODEL: Model NO. PNE-AC 9'-4" x 14' -78" x 9'-3" Bar Tec Building USE GROUP: USE GROUP: CONSTRUCTION TYPE: OCCUPANT LOAD: TYPE OF UNIT: HITS 1 Persons Modular ROOF LIVE/SNOW LOAD: 129.4 PSF 150 PSF 150 PSF WIND SPEED: ROOF DEAD LOAD: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REVIEWED BY: ISSUED DATE: April 10, 2015					1112 07 1112	
DESCRIPTION OF MANUFACTURED MODEL: Model NO. PNE-AC 9-4" x 14'-78"x 9-3" Bar Tee Building USE GROUP: U IIIB 1 Persons Modular ROOF LIVESNOW LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF DEAD LOAD: FLOOR DEAD LOAD: HEATING DEGREE DAYS: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) "The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REVIEWED BY: ISSUED DATE: April 10, 2015						New System
Model NO. PNE-AC 9-4" x 14' -8"x 9'-3" Bar Tee Building USE GROUP: U	DESIGN DATA					
USE GROUP: U IIIB 1 Persons Modular ROOF LIVE/SNOW LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF DEAD LOAD: FLOOR DEAD LOAD: HEATING DEGREE DAYS: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REVIEWED BY: ISSUED DATE: April 10, 2015						
U IIIB 1 Persons Modular ROOF LIVE/SNOW LOAD: FLOOR LIVE LOAD: GROUND SNOW LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF DEAD LOAD: FLOOR DEAD LOAD: HEATING DEGREE DAYS: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REYIEWED BY: ISSUED DATE: April 10, 2015	Model NO, PNE-AC 9'-4" x 14' -3	3"X 9"-3" Bai	Tec Building			
U IIIB 1 Persons Modular ROOF LIVE/SNOW LOAD: FLOOR LIVE LOAD: GROUND SNOW LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF DEAD LOAD: FLOOR DEAD LOAD: HEATING DEGREE DAYS: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REYIEWED BY: ISSUED DATE: April 10, 2015						
U IIIB 1 Persons Modular ROOF LIVE/SNOW LOAD: FLOOR LIVE LOAD: GROUND SNOW LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF DEAD LOAD: FLOOR DEAD LOAD: HEATING DEGREE DAYS: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REYIEWED BY: ISSUED DATE: April 10, 2015						
ROOF LIVE/SNOW LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF DEAD LOAD: 115 MPH 200 PSF 15.35 PSF 15.35 PSF P100R DEAD LOAD: Building - 2012 MBC Electrical - Mechanical - 2012 MMC LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REVIEWED BY: April 10, 2015	USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
ROOF LIVE/SNOW LOAD: 129.4 PSF 150 PSF 140 PSF WIND SPEED: ROOF DEAD LOAD: 115 MPH 200 PSF 15.35 PSF 15.35 PSF P100R DEAD LOAD: Building - 2012 MBC Electrical - Mechanical - 2012 MMC LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REVIEWED BY: April 10, 2015	II	шв		1 Persons		Modular
WIND SPEED: ROOF DEAD LOAD: FLOOR DEAD LOAD: HEATING DEGREE DAYS: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REYIEWED BY: ISSUED DATE: April 10, 2015		IIII		1 1 0100110	GROUND	
WIND SPEED: ROOF DEAD LOAD: FLOOR DEAD LOAD: HEATING DEGREE DAYS: 115 MPH 200 PSF 15.35 PSF 9712 APPLICABLE STATE CODES Building - 2012 MBC Electrical - Mechanical - 2012 MMC Plumbing - LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REYIEWED BY: ISSUED DATE: April 10, 2015	129 4 PSF		150 PSF		14	10 PSF
APPLICABLE STATE CODES Building - 2012 MBC		ROOF DEA		FLOOR DEAD LOA		
Building – 2012 MBC Electrical – Mechanical – 2012 MMC Plumbing – LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REVIEWED BY: ISSUED DATE: April 10, 2015	115 MPH	200	PSF	15.35 PSF		9712
LIMITATIONS OF APPROVAL (IF ANY) 'The specific options must be shown as a part of the approved set of plans and shall be identified for each unit manufactured: CERTIFICATION REVIEWED BY: ISSUED DATE: April 10, 2015	APPLICABLE STATE CODE	ES .				
CERTIFICATION REVIEWED BY: ISSUED DATE: April 10, 2015	Building – 2012 MBC	Electrical		Mechanical - 2012	2 MMC	Plumbing —
CERTIFICATION REVIEWED BY: ISSUED DATE: April 10, 2015	LIMITATIONS OF APPROVAL	(IF ANY)	The specific options m	ust be shown as a part	of the approve	d set of plans and shall be
REVIEWED BY: April 10, 2015					* *	•
REVIEWED BY: April 10, 2015						
REVIEWED BY: April 10, 2015						
Trelational April 10, 2015	CERTIFICATION					
	REVIEWED BY:		4		ISSUED	DATE:
	Allana Ila		. 0 🔨		A nuil 10	2015
Shella Hartfield, Plan Keviewer	Sheila Hartfield, Plan Reviewer				Aprii 10	1, 2013
A CENTON OPERCIAL A AA		\mathcal{O}				

April 15, 2015

Michigan Department of Licensing and Regulatory Affairs Bureau of Construction Codes Plan Review Division P.O. Box 30254 Lansing, MI 48909 (517) 241-9328

Authority: 1972 PA 230			ogram. Auxiliary aids, servic	es and other rea	asonable accommodations are available upon
Completion: Mandatory Penalty: Approval shall be revoked	request to individuals with disa	bilities.			
	ding system approval report by th	e construction	n code commission and shall l	he accented by	any jurisdiction within the state of Michigan
subject to that jurisdiction's determination of	of compliance with the state constru	e construction action code.	ii code commission and saan	oc accepted by	any juristriction within the state of withingan
 					
MANUFACTURER DATA					
MANUFACTURER:			(COMPLIANO	CE ASSURANCE PROGRAM NO.:
AAU of Indiana II C					136
AAH of Indiana, LLC 1418 S 13th Street			F	UILDING S	YSTEM APPROVAL REPORT NO.
Decatur, IN 46733					
Decatur, IN 40733			<u></u>	· · · · · · · · · · · · · · · · · · ·	109307
			T	YPE OF AP	PROVAL:
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTU	RED MODEL:		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
M 2850 #02298 with Crawlspace					
TION OF OUR		<u> </u>			
USE GROUP:	CONSTRUCTION TYPE	:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:	FLOOR LIV	E LOAD;	1411140000	GROUND	SNOW LOAD:
** a DOD	l l			l	
20.8 PSF	40 P	SF			PSF
WIND SPEED:	ROOF DEAD LOAD:		FLOOR DEAD LOAD:		HEATING DEGREE DAYS:
90 MPH	20 PSF		10 PSF		6515
			101111111111111111111111111111111111111		
APPLICABLE STATE CODE	ES				
Building – 2009 MRC/B	Electrical – 2009 MRC/	Œ	Mechanical – 2009 N	ARC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL		ptions mu	st be shown as a part of	the approve	d set of plans and shall be
identified for each unit manufactur					
HVAC equipment and main duct w	ork trunks are subject to th	e approval	l of the local enforcing a	igency, and	are not part of this approval.
CERTIFICATION					
REVIEWED BY:				ISSUED	DATE:
Mr. Co Ha	HOULDEY				2015
Chaila Hartfald Dlaw D				April 13	, 2015
Sheila Hartfield, Plan Reviewer					
AGENCY OFFICIAL:	1			PURLISH	ED DATE:
	/			I OPINI	navar ariba adi
The worth				April 15	. 2015
Todd Y. Cordill, NCARB, Chie	f, Plan Review Division			p-111 10	, — - ^ - -
· · · · · · · · · · · · · · · · · · ·	, , , , , ,				

Authority: 1972 PA 230 Completion; Mandatory Penalty: Approval shall be revoked	request to individuals with disabilities			asonable accommodations are available upon
This document shall be considered the build subject to that jurisdiction's determination o	ling system approval report by the construction	struction code commission and shall be	e accepted by	any jurisdiction within the state of Michigan
		••••		
MANUFACTURER DATA MANUFACTURER:			OMPLIANO	CE ASSURANCE PROGRAM NO.:
				201
Hi-Tech Housing Inc 1103 S Maple Street		В	UILDING S	YSTEM APPROVAL REPORT NO.:
Bristol, IN 46507				109308
		T	YPE OF AP	
				New System
DESIGN DATA				
DESCRIPTION OF MANUFACTUI 6028 R 2135 MI 3 Bed, 2 Bath Ra				11 10 10 10 10 10 10 10 10 10 10 10 10 1
0020 R 2105 Mil 5 Deu, 2 Dan Ra	non with Ciawispace			
USE GROUP:	CONSTRUCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB	NA Persons		Modular
ROOF LIVE/SNOW LOAD:	FLOOR LIVE LO	AD:	GROUND	SNOW LOAD;
38.5/ 53.9 PSF	40 PSF		50)/ 70 PSF
WIND SPEED:	ROOF DEAD LOAD:	FLOOR DEAD LOAD:		HEATING DEGREE DAYS:
90 MPH	10 PSF	10 PSF		6653
APPLICABLE STATE CODE	S			
Building – 2009 MRC/B	Electrical – 2009 MRC/E	Mechanical – 2009 N	IRC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL	(IF ANY) 'The specific option	ns must be shown as a part of	the approve	d set of plans and shall be
identified for each unit manufacture	:d:			
CERTIFICATION				
REVIEWED BY: ISSUED DATE:				
Meda Harrield April 13, 2015				
	Clark		April 13	, 2015
Sheila Hartfield, Plan Reviewer	elald.		April 13	, 2015
Sheila Hartfield, Plan Reviewer AGENCY OFFICIAL:	1 July		-	, 2015 ied date:
	1 Just d		PUBLISH	IED DATE:
	1		-	IED DATE:

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked		equal opportunity employer/pr lividuals with disabilities.	ogram. Auxiliary aids, servic	es and other rea	sonable accommodations are available upon
	ling system and	royal report by the construction	n code commission and shall	he accepted by a	my jurisdiction within the state of Michigan
subject to that jurisdiction's determination o	f compliance wi	th the state construction code.	n vouv vommission und situit	oo necepica oj i	my jurisdiction within the state of menigun
MANUFACTURER DATA					
MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:
C 9 D Cover Madala					389
C & B Custom Modular 2224 Bloomingdale Drive				UILDING S	STEM APPROVAL REPORT NO.:
PO Box 369					
Bristol, IN 46507				YPE OF API	109305
210101, 111 10001			['	YPE OF API	
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTURE	RED MODE	L;	,		
2460 23'-6" x 56'-0" Office					
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
В	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:	, , ,	FLOOR LIVE LOAD:	1011101010	GROUND	SNOW LOAD:
27 PSF		50 PSF		25	ner
WIND SPEED:	ROOF DE		FLOOR DEAD LOAD	<u> </u>	PSF HEATING DEGREE DAYS:
·		•		•	
90 MPH	9 PS	NF	18 PSF		6898
APPLICABLE STATE CODE	ES				
Pulling 2010 MDC	1771 42 1	0011 NEC	M. J. J. 2010.	D.CC	m 1: 2012 L m 2
Building – 2012 MBC	Liectricai	– 2011 NEC	Mechanical - 2012	VINC	Plumbing – 2012 MPC
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options mu	ıst be shown as a part of	the approve	set of plans and shall be
identified for each unit manufacture		1 1	•	* *	*
CERTIFICATION					
CLRIIIICATION					
REVIEWED BY:	y.	A /		ISSUED	DATE:
- Mr. O. d	LAKA	t-00A			2015
Chaile Head Plan P	The way			April 28	, 2015
Sheila Hartfield, Plan Reviewer					
AGENCY OFFICIAL:	1	MPC		PUBLISH	ED DATE:

April 30, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked		LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.				
This document shall be considered the built	ling system app	proval report by the construction	n code commission and shall	be accepted by a	any jurisdiction within the state of Michigan	
subject to that jurisdiction's determination o	r compitance wi	th the state construction code.				
MANUFACTURER DATA						
MANUFACTURER:			1	COMPLIANC	E ASSURANCE PROGRAM NO.:	
Ritz-Craft Corporation of MI, I	na				416	
118 Deal Parkway	HC.		<u> </u>	BUILDING S	YSTEM APPROVAL REPORT NO.:	
Jonesville, MI 49250					109320	
			,	TYPE OF API		
				THE OF ALL		
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTURE						
VSC 8812 52'0" x 27'4" Cape Cod	with Basem	ent				
USE GROUP:	CONSTRU	ICTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:	(FLOOR LIVE LOAD:	1,111,0100110	GROUND	SNOW LOAD:	
29.6/ 44.4 PSF		40 PSF		50)/ 75 PSF	
WIND SPEED:	ROOF DE		FLOOR DEAD LOAD		HEATING DEGREE DAYS:	
90 MPH	10 P	'SF	10 PSF		7006	
3 0 1/21 12			2 7 1 21		7000	
APPLICABLE STATE CODE	S					
B ## 0000 LED G/D		2000 1 M C/F				
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009	MRC/M	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAI	. (TE ANV)	'The specific options mu	<u>l</u> ist he shown as a nart o	f the approve	l d set of plans and shall be	
identified for each unit manufacture	ed:	The specime options in	ist oo shown as a part o	ano approvo	d set of plans and shari oc	
HVAC equipment and main duct w		re subject to the approva	d of the local enforcing	agency, and	are not part of this approval.	
CERTIFICATION						
REVIEWED BY:		r		ISSUED	DATE.	
The first by	a simple			DOUED	DAIE.	
- Namo HA	in the	مدد		April 28	, 2015	
Sheila Hartfield, Plan Reviewer	. (<u>)</u>				
AGENCY OFFICIAL:	7			PUBLISE	IED DATE:	

April 30, 2015

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to inc	dividuals with disabilities.			sonable accommodations are available upon
This document shall be considered the buil subject to that jurisdiction's determination of	ding system app f compliance w	proval report by the construction ith the state construction code.	n code commission and shal	l be accepted by	any jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:				COMPLIANC	CE ASSURANCE PROGRAM NO.:
Wisconsin Homes Inc					122
425 W McMillan Street				BUILDING S	YSTEM APPROVAL REPORT NO.:
PO Box 250					109338
Marshfield, WI 54449				TYPE OF API	PROVAL:
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTUR		L:			
2852 Limited (15469) with Basem	ent				
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
54 PSF		40 PSF		70	PSF
WIND SPEED:	ROOF DE.	AD LOAD;	FLOOR DEAD LOAI);	HEATING DEGREE DAYS:
90 MPH	14 P	SF	10 PSF		8593
APPLICABLE STATE CODE	S		T-		
Building – 2009 MRC/B		– 2009 MRC/E	Mechanical – 2009		Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL		'The specific options mu	ist be shown as a part of	of the approve	d set of plans and shall be
HVAC equipment and main duct w		re subject to the approva	l of the local enforcing	agency, and	are not part of this approval.
					•
CERTIFICATION				1	
REVIEWED BY:				ISSHED	DATE:
REVIEWED BY: ISSUED DATE:					
Sheila Hartfield, Plan Reviewer		<u> </u>		April 28	, 2015
1	1				
AGENCY OFFICIAL:	1			PUBLISH	ED DATE:
Social ordell				April 30	. 2015
Todd Y. Cordill, NCARB, Chie	f, Plan Rev	iew Division		15222 5 0	, -

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to in	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.				
This document shall be considered the buil subject to that jurisdiction's determination of	ding system ap of compliance w	proval report by the construction in the state construction code.	on code commission and shall	l be accepted by	any jurisdiction within the state of Michigan	
MANUFACTURER DATA						
MANUFACTURER:				COMPLIANO	CE ASSURANCE PROGRAM NO.:	
CXT, Inc.					541	
3808 N Sullivan Road				BUILDING S	YSTEM APPROVAL REPORT NO.:	
Spokane, WA 99216					109264	
				TYPE OF AP	PROVAL:	
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTURE Cortez Sectional CRS-004	RED MODE	L:				
Cortez Sectional CRS-004						
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
U	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:	111110000	GROUND	SNOW LOAD;	
210 PSF		400 PSF		25	0 PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAI):	HEATING DEGREE DAYS:	
150 MPH	60 F	PSF	62.5 PSF		8593	
APPLICABLE STATE CODE	ES .					
Building – 2012 MBC		– 2011 NEC	Mechanical – 2012		Plumbing – 2012 MPC	
LIMITATIONS OF APPROVAL identified for each unit manufacture	d:	'The specific options mu	st be shown as a part o	f the approve	d set of plans and shall be	
CERTIFICATION			**			
REVIEWED BY:		A		TOOTIED	D. A. (DE	
	0 4-4	- /		ISSUED	DATE:	
Sheila Hartfield, Plan Reviewer	2	~~~		April 28	, 2015	
)				
AGENCY OFFICIAL:	1			PUBLISH	ED DATE:	
Take out III	•			April 30,	2015	
Todd Y. Cordill, NCARB, Chies	f, Plan Rev	iew Division		ripiti 30,	. 2013	

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to indiv	riduals with disabilities.			asonable accommodations are available upon
This document shall be considered the buil subject to that jurisdiction's determination of	lding system appro	oval report by the construction the state construction code.	on code commission and sha	ll be accepted by	any jurisdiction within the state of Michigan
MANUFACTURER DATA	•				
MANUFACTURER:	*** - 1 *****			COMPLIANO	CE ASSURANCE PROGRAM NO.:
Premiere Structures Inc.					391
2801 Oakland Avenue				BUILDING S	YSTEM APPROVAL REPORT NO.:
Elkhart, IN 46517					109045
				TYPE OF AP	PROVAL:
					New System
DESIGN DATA					
Plan #D4620 Cana Cod with Crow					
Plan #D4620 Cape Cod with Craw	rispace				
USE GROUP:	CONSTRUC	TION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		 Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
31 PSF		40 PSF		4(PSF
WIND SPEED:	ROOF DEAI	LOAD:	FLOOR DEAD LOA	D;	HEATING DEGREE DAYS:
90 MPH	15 PS	F	10 PSF		7789
APPLICABLE STATE CODE	<i>S</i>				
Building – 2009 MRC/B		2009 MRC/E	Mechanical – 2009		Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL	L (IF ANY) 'T	he specific options mu	ust be shown as a part of	of the approve	d set of plans and shall be
identified for each unit manufacture HVAC equipment and main duct w		subject to the approve	al of the local enforcing	ragency and	are not part of this approval
1 1		susject to the approve	a or the local enloyeng	g agoney, and	ne not part of this approvar.
CERTIFICATION					
REVIEWED BY:	^ 6 °	. (ISSUED	DATE:
April 28, 2015					2015
Sheila Hartfield, Plan Reviewer				тын 20	, 2013
AGENCY OFFICIAL:	M			PUBLISH	ED DATE:
Valend III				N/ 1 0	0.15
Todd Y. Cardill, NCARB, Chie	f. Plan Revie	w Division		May 1, 2	UIJ

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	LARA is an request to in	equal opportunity employer/pridividuals with disabilities.	ogram. Auxiliary aids, service	es and other rea	sonable accommodations are available upon	
This document shall be considered the buil subject to that jurisdiction's determination of	ding system ap of compliance w	proval report by the construction code.	nn code commission and shall	be accepted by	any jurisdiction within the state of Michigan	
MANUFACTURER DATA						
MANUFACTURER:			•	COMPLIANC	CE ASSURANCE PROGRAM NO.:	
VFP Inc					457	
402 Industrial Park Road			ī	BUILDING S	YSTEM APPROVAL REPORT NO.:	
PO Box 446			İ		109123	
Duffield, VA 24244			<u> </u>	YPE OF AP		
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTURE						
10'-0" x 10'-10" x 9'-0" Lightweig	ght Shelter N	Aodel #4543				
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
S2	VB		0 Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:	0 1 0130113	GROUND	SNOW LOAD:	
100 PSF		125 PSF				
WIND SPEED:	ROOF DE	<u> </u>	FLOOR DEAD LOAD	100 PSF HEATING DEGREE DAYS:		
130 MPH	(0.T	NOTE:				
130 MPH	60 P	SF	38 PSF		6150	
APPLICABLE STATE CODE	S					
Building – 2012 MBC		– 2011 NEC	Mechanical – 2012 I		Plumbing	
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options mu	st be shown as a part of	the approved	set of plans and shall be	
identified for each unit manufacture	ed:					
CERTIFICATION						
REVIEWED BY:		3		ISSUED	DATE:	
- Maria La		n _(
Clair H (CH B)		240		April 28,	2015	
Sheila Hartfield, Plan Reviewer						
AGENCY OFFICIAL:	1			PUBLISH	ED DATE:	
The Mary Mills	•					
Todd Y. Cordill, NCARB, Chief	f Plan Roy	iew Division		April 30,	2015	
TOWN IN COMMINITY OF THE COMMENT	L FIGHT INCV	ICM DIVISION				

Authority: 1972 PA 230 Completion; Mandatory Penalty: Approval shall be revoked	LARA is an request to inc	equal opportunity employer/pa dividuals with disabilities.	rogram. Auxiliary aids, serv	ices and other rea	asonable accommodations are available upon
This document shall be considered the build subject to that jurisdiction's determination of	ding system app of compliance w	proval report by the construction that the state construction code.	on code commission and sha	l be accepted by	any jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:				COMPLIANC	CE ASSURANCE PROGRAM NO.:
General Housing- West Plant			[276
4650 E Wilder				BUILDING S	YSTEM APPROVAL REPORT NO.:
Bay City, MI 48706					109306
			,	TYPE OF AP	PROVAL:
					Modification
DESIGN DATA					
DESCRIPTION OF MANUFACTU	RED MODE	L:			
Hamden 28'-44' with Basement, C (59432) Modified	rawlspace an	d Various Options			
(35432) Woumed					
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:	····-	TYPE OF UNIT:
R3	VB		NA Persons		
ROOF LIVE/SNOW LOAD:	VD	FLOOR LIVE LOAD:	NA PERSONS	GROUND	Modular SNOW LOAD:
23.1/ 30.8/ 53.9 PSF		40 PSF			
WIND SPEED:	ROOF DEA		FLOOR DEAD LOAI		/ 40/ 70 PSF HEATING DEGREE DAYS:
90 MPH	10 P	SF	10 PSF		9300
APPLICABLE STATE CODE	S				
Building – 2009 MRC/B	Flooduinal	– 2009 MRC/E	35 1 1 2000	\	
			Mechanical – 2009		Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL identified for each unit manufacture	(IF ANY)	The specific options mu	st be shown as a part o	f the approve	d set of plans and shall be
identified for each unit mandracture	:u :				
CERTIFICATION					
REVIEWED BY:	Λ <u>Γ</u>	•		ISSUED	DATE:
Mula H	ST.	uld -		April 28.	2015
Sheila Hartfield, Plan Reviewer	and the second			1 pm 20	, 2015
AGENÇY OEFICJAL:	10			PUBLISH	ED DATE:
Sellate It	4				
Todd V Christi NCARD Chia	f Dlon Dani	iow Divisio		May 6, 2	015
Todd Y. Cordill, NCARB, Chie	i, rian Kevi	iew Division			

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

		(317) 22	+1-9328			
Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to ir	idividuals with disabilities.			asonable accommodations are available upon	
This document shall be considered the bui subject to that jurisdiction's determination	lding system ap of compliance v	proval report by the constructi	on code commission and shall	be accepted by	any jurisdiction within the state of Michigan	
MANUFACTURER DATA	vongaaso ,	The state construction cone.				
MANUFACTURER:		···		COMPLIANO	CE ASSURANCE PROGRAM NO.:	
					167	
Champion Home Builders Inc 308 Sheridan Drive				BUILDING SYSTEM APPROVAL REPORT NO.:		
PO Box 95				•		
Topeka, IN 46571			-	TYPE OF AP	109178 PROVAL:	
					New System	
DECICN DATA	*** 1				110W Bystom	
DESIGN DATA DESCRIPTION OF MANUFACTU	RED MODE	Ι.				
MOD 2856 205 / MOD 2856 206	26'-8" x 52'-	0" Ranch with Crawlspa	ce, Reverse Crawlspace	and Various	Options	
		1	,	THE THIRD	Options	
USE GROUP:	CONSTRUCTION TYPE: OCCUPANT LOAD: TYPE OF UNIT:				TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:	
38.5/ 57.8 PSF		40 PSF		5()/ 75 PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD		HEATING DEGREE DAYS:	
90 MPH	10 F	PSF	10 PSF		9316	
APPLICABLE STATE CODE	ES					
Building – 2009 MRC/B		– 2009 MRC/E	Mechanical – 2009 I		Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL identified for each unit manufacture	(IF ANY)	The specific options mu	ist be shown as a part of	the approve	d set of plans and shall be	
HVAC equipment and main duct w		re subject to the approve	I of the local enforcing	noonar and	one as to sent a Cabina and a C	
1 1		to subject to the approva	ir or the local emoreting i	agency, and a	are not part of this approval.	
CERTIFICATION						
CERTIFICATION						
REVIEWED BY:				ISSUED	DATE:	
- Nara 44	uset	L 2		A 2011 07	2015	
Sheila Hartfield, Plan Reviewer		**************************************		April 27	, 2013	
AGENCY OFFICIAL:	1)		PUBLISH	ED DATE:	

April 30, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to individuals with disabilities.			easonable accommodations are available upon
This document shall be considered the buil subject to that jurisdiction's determination of	lding system approval report by the constru of compliance with the state construction cod	ction code commission and shall le.	be accepted by	any jurisdiction within the state of Michigan
MANUFACTURER DATA				
MANUFACTURER:			COMPLIAN	CE ASSURANCE PROGRAM NO.:
Champion Home Builders Inc				167
308 Sheridan Drive			BUILDING S	SYSTEM APPROVAL REPORT NO.:
PO Box 95				
Topeka, IN 46571		 ,	ГҮРЕ ОБ АР	109310
			- 11 2 01 11	New System
DESIGN DATA			-	
DESCRIPTION OF MANUFACTU	RED MODEL:			
4812-MI-01 26'-8" x 52'-0" Ranch	with Crawlspace			
USE GROUP:	CONSTRUCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB	NA Persons		Modular
ROOF LIVE/SNOW LOAD:	FLOOR LIVE LOAD		GROUND	SNOW LOAD:
38.5/ 57.8 PSF	40 PSF		50	0/ 75 PSF
WIND SPEED:	ROOF DEAD LOAD:	FLOOR DEAD LOAD		HEATING DEGREE DAYS:
90 MPH	10 PSF	10 PSF		9316
APPLICABLE STATE CODE	S			
Building – 2009 MRC/B	Electrical – 2009 MRC/E	Mechanical - 2009]		Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL identified for each unit manufacture	(IF ANY) 'The specific options r	nust be shown as a part of	the approve	d set of plans and shall be
recutation for each man manufacture	ed :			
CERTIFICATION				
REVIEWED BY:				
KEY IEW ED B1:			ISSUED	DATE:
· Nulle th		_	April 27	, 2015
Sheila Hartfield, Plan Reviewer	To the second se		•	•
AGENCY OFFICIAL:	\mathcal{M}		pripr terr	ED DATE:
Selle All	7/		LODLISH	ED DAIE;
HORDER ORALL	<u>/</u>		April 29,	, 2015
Todd Y. Cordill, NCARB, Chief	f, Plan Review Division		•	

cc: PFS Corporation

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

		(517) 24	11-9328		
Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to in-	dividuals with disabilities.			asonable accommodations are available upon
This document shall be considered the buil subject to that jurisdiction's determination of	ding system ap of compliance w	proval report by the construction that the state construction code.	on code commission and shall	be accepted by	any jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:			(COMPLIANO	CE ASSURANCE PROGRAM NO.:
Champion Home Builders Inc					167
308 Sheridan Drive			B	UILDING S	YSTEM APPROVAL REPORT NO.:
PO Box 95					109311
Topeka, IN 46571			1	YPE OF AP	
					New System
DESIGN DATA	-				ziori systemi.
DESCRIPTION OF MANUFACTURE	RED MODE	1.		·····	
MOD 2848 201 / MOD 2848 202	26'-8" x 44'-	0" Ranch with Crawlspa	ce, Reverse Crawlspace	and Various	Options
		-	•		•
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	$ _{ m VB}$		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
23.1/38.5/57.8 PSF		40 PSF		30	0/ 50/ 75 PSF
WIND SPEED;	ROOF DE	AD LOAD:	FLOOR DEAD LOAD:		HEATING DEGREE DAYS:
90 MPH	10 P	SF	10 PSF		9316
APPLICABLE STATE CODE	S				
P 1111 2000 1 17 C/D					
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical – 2009 N	ARC/M	Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL	(IF ANY)	The specific options mu	ist be shown as a part of	the approve	d set of plans and shall be
identified for each unit manufacture	ed':				_
HVAC equipment and main duct w	ork trunks a	re subject to the approva	al of the local enforcing a	igency, and	are not part of this approval.
CERTIFICATION					
REVIEWED BY:		s a		ISSUED	DATE:
Christa Al	3 h - 6 - 1	- 01			
Shoile Hartfield Plan Davi				April 27	, 2015
Sheila Hartfield, Plan Reviewer					
AGENCY OEFICIAL:	11			PUBLISH	ED DATE:

cc: PFS Corporation

April 29, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to inc	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.				
This document shall be considered the build subject to that jurisdiction's determination o	ding system app	roval report by the construction	n code commission and shall	be accepted by a	my jurisdiction within the state of Michigan	
MANUFACTURER DATA	г оотришоо үү	the state construction code.				
MANUFACTURER:				COMPLIANC	E ASSURANCE PROGRAM NO.:	
					167	
Champion Home Builders Inc			<u> </u>	BUILDING SY	YSTEM APPROVAL REPORT NO.:	
308 Sheridan Drive PO Box 95						
Topeka, IN 46571			-	TYPE OF API	109312	
Topona, II (100 / I				I I FE OF AFI		
					New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTURE						
MOD 2868 201-MI-01 26'-8" x 64	'-0" Ranch v	vith Basement				
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	VB		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:	
38.5/ 57.8 PSF		40 PSF		50	/ 75 PSF	
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD	·:	HEATING DEGREE DAYS:	
90 MPH	10 F	PSF	10 PSF		9316	
70 MI II	101		10111		7.010	
APPLICABLE STATE CODE	<u>S</u>					
Building – 2009 MRC/B	Electrical	– 2009 MRC/E	Mechanical - 2009	MRC/M	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL	(IF ANY)	The specific options mu	ist be shown as a part o	f the approve	d set of plans and shall be	
identified for each unit manufactur	ed':		•		-	
HVAC equipment and main duct w	ork trunks a	re subject to the approva	al of the local enforcing	agency, and	are not part of this approval.	
CERTIFICATION						
· ·				*******		
REVIEWED BY:	. 11		ISSUED DATE:			
- Mulla St. K	UTI.			April 27	, 2015	
Sheila Hartfield, Plan Reviewer				-		
A CHANCE OF STATE A	$m \stackrel{\smile}{}$)		pina ion	TED DATE.	
AGENCY OFFICIAL	1/			PUBLISH	ED DATE:	
TORKET BICHALL	7			April 29	, 2015	

cc: PFS Corporation

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to in	dividuals with disabilities.			sonable accommodations are available upon
This document shall be considered the buil subject to that jurisdiction's determination of	ding system ap of compliance w	proval report by the construction in the state construction code.	on code commission and shall	be accepted by	any jurisdiction within the state of Michigan
MANUFACTURER DATA					
MANUFACTURER:				COMPLIANC	CE ASSURANCE PROGRAM NO.:
Stratford Hms Ltd Partnership					209
402 S Weber Avenue				BUILDING S	YSTEM APPROVAL REPORT NO.:
PO Box 37 Stratford, WI 54484					109315
Stratioru, W1 54464				TYPE OF AP	PROVAL:
					New System
DESIGN DATA					
DESCRIPTION OF MANUFACTU		L:			
31-6 x 54 Belmont Ranch with Cra	wispace				
USE GROUP:	CONSTRU	JCTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:
R3	VB		NA Persons		Modular
ROOF LIVE/SNOW LOAD:		FLOOR LIVE LOAD:		GROUND	SNOW LOAD:
59.2 PSF		40 PSF		70	PSF
WIND SPEED:	ROOF DE	AD LOAD:	FLOOR DEAD LOAD		HEATING DEGREE DAYS:
90 MPH	14 F	PSF	10 PSF		9021
APPLICABLE STATE CODE	S				
Building – 2009 MRC/B		– 2009 MRC/E	Mechanical – 2009		Plumbing – 2009 MRC/P
LIMITATIONS OF APPROVAL identified for each unit manufacture	(IF ANY)	'The specific options mu	st be shown as a part of	the approve	d set of plans and shall be
HVAC equipment and main duct w		re subject to the approva	l of the local enforcing	agency, and a	are not part of this approval.
CERTIFICATION					
REVIEWED BY:				icouen	T) A (DE).
		commence of the second		ISSUED	DATE:
Sheila Hartfield Dlan Baylayer				April 27	, 2015
Sheila Hartfield, Plan Reviewer					
AGENCY OFFICIAL:	1//			PUBLISH	ED DATE;
Total a will	4			April 29,	2015
Todd Y. Coldill, NCARB, Chie	f, Plan Rev	iew Division		1 грід 49,	, 2013

cc: NTA Inc

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

(517) 241-9328						
Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	y request to individuals with disabilities.					
This document shall be considered the building system approval report by the construction code commission and shall be accepted by any jurisdiction within the state of Michigan subject to that jurisdiction's determination of compliance with the state construction code.						
MANUFACTURER DATA						
MANUFACTURER:				COMPLIANO	CE ASSURANCE PROGRAM NO.:	
Commodore Corporation, The					395	
1902 Century Drive				BUILDING S	YSTEM APPROVAL REPORT NO.:	
P. O. Box 577 Goshen, IN 46528			_		109397	
300000, 117 10020				TYPE OF API		
			<u> </u>		New System	
DESIGN DATA						
DESCRIPTION OF MANUFACTU AU185-AB5 27'-4" x 64'-0" Ranch						
The rest rate of the rest of t	i willi Dancii	10111				
414.41						
USE GROUP:	CONSTRU	ICTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3 ROOF LIVE/SNOW LOAD:	VB		NA Persons		Modular	
		FLOOR LIVE LOAD: 		GROUND	SNOW LOAD:	
30.8 PSF WIND SPEED:	ROOF DEA	40 PSF	FLOOR DEAD LOAD		PSF HEATING DEGREE DAYS:	
				,		
90 MPH	10 P	<u>Dr</u>	10 PSF		8499	
APPLICABLE STATE CODE	ES .					
Building – 2012 MRC/B		– 2009 MRC/E	Mechanical – 2009	:	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL	(IF ANY)	'The specific options m	ust be shown as a part o	f the approve	d set of plans and shall be	
identified for each unit manufacture HVAC equipment and main duct w		re subject to the approv	al of the local enforcing	agency, and	are not part of this approval	
1 1		is subject to the approx	ar or mo room omoroms	agonoj, ana c	av not part of this approval.	
CERTIFICATION						
REVIEWED BY:				TOOTING	D A ME	
MEN DI:	e fant			ISSUED	DATE:	
Chaile Heatfald Die D	er the	<u> </u>	-	April 24	, 2015	
Sheila Hartfield, Plan Reviewer		•	•			

cc: RADCO

PUBLISHED DATE:

April 28, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.						
This document shall be considered the building system approval report by the construction code commission and shall be accepted by any jurisdiction within the state of Michigan subject to that jurisdiction's determination of compliance with the state construction code.						
subject to that jurisdiction's determination of compliance with the state construction code.						
MANUFACTURER DATA						
MANUFACTURER:				COMPLIANO	CE ASSURANCE PROGRAM NO.:	
Craftech Bldg Sys Inc - Heckar	nan Hms			224		
2676 E Market Street			BUILDING SYSTEM APPROVAL REPORT NO.:			
PO Box 229				109409		
Nappanee, IN 46550				TYPE OF AP	PROVAL:	
					New System	
	•					
DESIGN DATA						
DESCRIPTION OF MANUFACTURE Hermitage # 64HERA- 28' X 64' R						
110111111111111111111111111111111111111	anion with B	abolitone				
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3 ROOF LIVE/SNOW LOAD:	VB	FLOOR LIVE LOAD:	NA Persons	CROUND	Modular SNOW LOAD:	
38.5 PSF WIND SPEED:	ROOF DEA	40 PSF	FLOOR DEAD LOAI		PSF	
	KOOF DEA	AD LOAD;	FLOOR DEAD LOAD);	HEATING DEGREE DAYS:	
90 MPH	10 P	SF	10 PSF		8499	
APPLICABLE STATE CODE	S				,-	
Building – 2009 MRC/B	Flactrical	– 2009 MRC/E	Mechanical – 2009	MDC/M	Diumbing 2000 MDC/D	
Dunding 2005 MRC/B	Electical	- 2007 MRC/E	Mechanical – 2009	WINC/WI	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL	(IF ANY)	The specific options mu	ıst be shown as a part c	f the approve	d set of plans and shall be	
identified for each unit manufacture		f f				
HVAC equipment and main duct w	ork trunks a	re subject to the approva	il of the local enforcing	agency, and	are not part of this approval.	
CERTIFICATION						
REVIEWED BY:		,		ISSUED	DATE.	
The state of the				ювоер	P12.2 E4	
- veno to		<u>LVC</u> y		April 24	, 2015	
Sheila Hartfield, Plan Reviewer	U					
AGENCY OFFIGIAL:				PUBLISH	HED DATE:	

April 28, 2015

Michigan Department of Licensing and Regulatory Affairs
Bureau of Construction Codes
Plan Review Division
P.O. Box 30254
Lansing, MI 48909
(517) 241-9328

Authority: 1972 PA 230 Completion: Mandatory Penalty: Approval shall be revoked	request to inc	LARA is an equal opportunity employer/program. Auxiliary aids, services and other reasonable accommodations are available upon request to individuals with disabilities.				
This document shall be considered the build subject to that jurisdiction's determination o	ling system app	ing system approval report by the construction code commission and shall be accepted by any jurisdiction within the state of Michigan				
subject to that jurisdiction's determination of	r compliance wi	th the state construction code.				
MANUFACTURER DATA						
MANUFACTURER:				COMPLIANC	CE ASSURANCE PROGRAM NO.:	
Stratford Hms Ltd Partnership			_		209	
402 S Weber Avenue]	BUILDING S	YSTEM APPROVAL REPORT NO.:	
PO Box 37					109406	
Stratford, WI 54484			7	TYPE OF AP	PROVAL:	
					New System	
	***		<u> </u>		new bystem	
DESIGN DATA						
DESCRIPTION OF MANUFACTURE						
28' X 44" "C" Ranch with Baseme	nt					
USE GROUP:	CONSTRU	CTION TYPE:	OCCUPANT LOAD:		TYPE OF UNIT:	
R3	$_{ m VB}$		NA Persons		Modular	
ROOF LIVE/SNOW LOAD:	, , ,	FLOOR LIVE LOAD:	1171 1 0130113	GROUND	SNOW LOAD:	
59.2 PSF		40 DGE				
WIND SPEED:	ROOF DE	40 PSF	FLOOR DEAD LOAD		PSF HEATING DEGREE DAYS:	
·				•	MEATENG DEGREE DATS.	
90 MPH	14 P	SF	10 PSF		9567	
APPLICABLE STATE CODE	ES .					
Puilding 2000 MDC/D	Elastuias I	2000 MD C(ff)	TMTI	MD COA 4	Di 11 0000 14D (7D	
Building – 2009 MRC/B	Liectricai	– 2009 MRC/E	Mechanical - 2009	MRC/M	Plumbing – 2009 MRC/P	
LIMITATIONS OF APPROVAL	(IF ANY)	The specific options m	ust be shown as a part o	f the annrove	d set of plans and shall be	
identified for each unit manufacture		The specific operation.	abt of silo wil as a part of	ane approve	a out of plants and shall be	
HVAC equipment and main duct w	ork trunks a	re subject to the approva	al of the local enforcing	agency, and	are not part of this approval.	
CERTIFICATION						
DESCRIPTION SONA				YOUYIND	D. 1. 1777	
REVIEWED BY:	n 1			ISSUED	DATE:	
- Newaste	させて	LOCI		April 24	. 2015	
Sheila Hartfield, Plan Reviewer		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		K	• · · - 	
·		ÿ				
AGENCY OFFICIAL:	//			PUBLISH	IED DATE:	

April 28, 2015